



EMBASSY OF THE
UNITED STATES OF AMERICA
P.O. BOX 606 - 00621, VILLAGE MARKET
NAIROBI, KENYA

October 28, 2020

Dear Prospective Offeror,

Subject: Request for Quotation PR9532470

Enclosed is a Request for Quotation (RFQ) for purchase of Large Closed body truck. If you would like to submit a quotation, follow the instructions below and complete the required portions of the attached SF1449 document and submit it to the address shown below.

The U.S. Government intends to award a Purchase Order to a responsible company submitting an acceptable quotation at a reasonable price. The RFQ does not commit the American Embassy to make any award. The Embassy may cancel this RFQ or any part of it.

Your proposal must be submitted in two separate documents as follows;

1. RFQ. **FINANCIAL PROPOSAL:** This entails the price quotation indicating unit and total prices before VAT (*Must have the Company Letter Head or Company Stamp/ Seal including your quotation Reference Number*).
2. RFQ. **TECHNICAL PROPOSAL** (*Must not have your Letter Head or Company Stamp/Seal i.e. it should be on plain paper*). Your quotation reference number is required on this which matches the price proposal number)

This must be submitted via email on or before **November 11th 2020 at 10.00am** addressed to

The Contracting Officer, America Embassy email NairobiGSO-bids@state.gov Copied to nambubilo@state.gov

The U.S. Government intends to award a purchase order to the responsible vendor submitting a technically acceptable quote with the lowest price, based on initial quotations without holding discussions, although we may hold discussions with companies in the competitive range if there is a need to do so. Prior to contract award, the successful offeror(s) will be required to have a DUNS number and be registered in SAM/COR through the following sites: DUNS – www.dnb.com and SAM/CCR www.sam.gov.

Direct any questions regarding this solicitation to the **Contracting Officer, Nairobi NairobiGSO-bids@state.gov** during regular business hours.

Sincerely,


Aisha O'Neal
Contracting Officer

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS <i>OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, & 30</i>				1. REQUISITION NUMBER PR9532470		PAGE 1 OF 52	
2. CONTRACT NO.		3. AWARD/EFFECTIVE DATE		4. ORDER NUMBER		5. SOLICITATION NUMBER	
						6. SOLICITATION ISSUE DATE October 28, 2020	
7. FOR SOLICITATION INFORMATION CALL		a. NAME Aisha O'Neal				b. TELEPHONE NUMBER (No collect calls) 254 (0) 20 363-6084	
9. ISSUED BY GSO/Procurement Office U.S Embassy, P.O Box 606-00621, Village Market Nairobi		CODE		10. THIS ACQUISITION IS <input checked="" type="checkbox"/> UNRESTRICTED <input type="checkbox"/> SET ASIDE: % FOR <input type="checkbox"/> SMALL BUSINESS <input type="checkbox"/> HUBZONE SMALL BUSINESS <input type="checkbox"/> 8(A) NAICS: SIZE STD:		11. DELIVERY FOR FOB DESTINATION UNLESS BLOCK IS MARKED <input type="checkbox"/> SEE SCHEDULE <input type="checkbox"/> 13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700) 13b. RATING	
						12. DISCOUNT TERMS	
15. DELIVER TO U.S. EMBASSY WAREHOUSE – Nairobi, Kenya		CODE		16. ADMINISTERED BY U.S. Embassy Nairobi, Kenya		CODE	
17a. CONTRACTOR/OFFEROR CODE		FACILITY CODE		18a. PAYMENT WILL BE MADE BY U.S. Embassy Financial Management Center Nairobi, Kenya		CODE	
TELEPHONE NO.		<input type="checkbox"/> 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER		18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED <input type="checkbox"/> SEE ADDENDUM			
19. ITEM NO.		20. SCHEDULE OF SUPPLIES/SERVICES		21. QUANTITY		22. UNIT	
1		Large Closed body truck Drivetrain: 4X2 Drive type: Right Hand Drive <small>(Use Reverse and/or Attach Additional Sheets as Necessary)</small>		1			
						23. UNIT PRICE	
						24. AMOUNT	
25. ACCOUNTING AND APPROPRIATION DATA						26. TOTAL AWARD AMOUNT (For Govt. Use Only)	
<input type="checkbox"/> 27a. SOLICITATION INCORPORATES BY REFERENCE FAR 52.212-1, 52.212-3. FAR 52.212-4 AND 52.212-5 ARE ATTACHED. ADDENDA <input checked="" type="checkbox"/> ARE <input type="checkbox"/> ARE NOT ATTACHED.							
<input type="checkbox"/> 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52.212-4. FAR 52.212-5 IS ATTACHED. ADDENDA <input type="checkbox"/> ARE <input type="checkbox"/> ARE NOT ATTACHED.							
<input type="checkbox"/> 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN _____ COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED HEREIN.				<input type="checkbox"/> 29. AWARD OF CONTRACT: YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:			
30a. SIGNATURE OF OFFEROR/CONTRACTOR				31a. UNITED STATES OF AMERICA (SIGNATURE OF CONTRACTING OFFICER)			
30b. NAME AND TITLE OF SIGNER (TYPE OR PRINT)		30c. DATE SIGNED		31b. NAME OF CONTRACTING OFFICER (Type or Print)		31c. DATE SIGNED	
				Aisha O'Neal			



Requisition Number: PR9532470

Requisition Title: WAREHOUSE NEW REPLACEMENT PLAN LARGE TRUCK

Purchase Request: PR9532470

Request Type: Purchase Order

Requesting Office: AMERICAN EMBASSY NAIROBI

Issued on Tue, 27 Oct, 2020

Created on Tue, 27 Oct, 2020 by Abdulhamid A. Ambwa

Vendor:

NOVENDOR

UNITED STATES

Contact: 0

Ship To:

Department of State

U.N. AVENUE GIGIRI; PO BOX 606,00621

ATTN: GSO-WAREHOUSE - 1901.0

NAIROBI

KENYA

Deliver To:

Ali Ambwa, MOTORPOOL

Item	Description	Part Number	Unit	Qty	Vendor Delivery	Unit Price	Extended Amount
1	Large Closed body truck		each	1	Thu, 26 Nov, 2020	\$0.00 USD	\$0.00 USD

Drivetrain: ...

Large Closed body truck

Drivetrain: 4X2

Drive type: Right Hand Drive

Driver cabin: Day and night cab

Engine power: Minimum Peak power 130 kW

Engine torque: Minimum Peak torque 675 Nm

Fuel: Diesel

Permissible total weight 13500 KGS

Permissible axle load , axle 1 4700 KGS

Permissible axle load , axle 2 9300 KGS

Gearshift: Manu

al transmission

Steering: Power steering

Exhaust brake, with constantly-open throttle valve

Engine, start/stop system

refitting: Fuel pre-filter, water separator

Front springs, parabolic

Rear spring, parabolic

Stabilizer front axle

Stabilizer, rear axle, under frame

Spare wheel carrier, under body; full size spare tyre

ADDITIONAL INFO IN COMMENTS AND ATTACHMENT

Bill To:

Department of State

U.N. AVENUE GIGIRI; PO BOX 606,00621

ATTN: US EMBASSY FMC - 1901.0

NAIROBI

KENYA

Funding:

Type	Percentage	Amount(Local Currency)	Amount(USD)	Details
Commodity Accounting Line	100%	\$0.00 USD	\$0.00 USD	

Total \$0.00 USD

Status: Submitted

Approvals					
Required	Status	Reason	Approver	Approved By	Date
Not Required	Ready	Approver 6: Watcher - Optional Approver	Nairobi Watcher Group		
Required	Ready	Approver 3: Procurement Team	Nairobi Procurement Team		
Required	Pending	Approver 4: B&F	Nairobi Accounting		
Required	Pending	Approver 5: FMO	Nairobi FMO Group		
Required	Pending	Approver 7: Final Approver	Nairobi Contracting Officers		

Requisition Comments

- Abdulhamid A. Ambwa, 10/27/2020:
 - Main tank, 200 liters, Tank-cap lock
 - Dual-circuit full air brakes
 - Load sensing brake system
 - Automatic brake adjusting
 - Anti-lock braking system (ABS)
 - Compressed-air drier (single-chamber system)
 - Brake connection, 2-line, behind cab
 - Hydraulic cab tilting mechanism
 - Cab rear wall without window
 - Roof hatch/vent, roof
 - Cab steps, movable
 - Side Mirrors, electrically adjustable
 - Wide-angle exterior mirror on front passenger side
 - Ramp/ kerb observation mirror on co-driver's side
 - Electrically adjustable rear view mirror,
 - Wide angle mirror on driver's side, heated
 - Sun visor, exterior, transparent
 - Additional keys or remote-control transmitter

- Driver's standard suspension seat.
- Co-driver's seat, static.
- Steering column bracket adjustable
- multi-function steering wheel
- Inst. cluster, graphics-capable display, eco-meter
- Speedometer, km, Outside temperature gauge
- Reversing warning device
- Driver Information System
- 1 or 2 DIN radio, 2 speakers with AUX, CD, USB, Antenna + kit
- Air conditioning system
- Stowage facility above windscreen, 2 compartments

- Trailer socket, 15-pin
- Headlamp range adjuster
- Headlamp unit, H7, with clear-lens look
- Protective grilles, headlamps
- 6-part tail light cluster with reflector
- Side marker lights
- First aid kit, Fire extinguisher, Hazard warning triangle, Jack
- Labels/publications, English

- Cargo Body
- Closed body, rigid and water proof construction
- Plywood body : 20 mm
- Floor : 24 mm carply floor with anti-slip, metallic floor beneath the carply floor for additional strength
- Length inside : 5,700 mm

Width outside : 2.500 mm
Height inside : ca 2.300 mm
Inside : 2 units of LED-lights
2 rear doors
Hydraulic Tail Liftgate
Capacity 1.500 kg, 24 V

Preferred Makes: Mercedes, Isuzu or Mitsubishi which have spare parts and service centers throughout Kenya (Abdulhamid A. Ambwa, Tue, 27 Oct, 2020)

Requisition Attachments

- ATTACHMENT by **Abdulhamid A. Ambwa** on Tuesday, October 27, 2020 at 11:45 AM
Warehouse Large Truck SOW.docx (24362 bytes)

Large Closed body truck

Drivetrain: 4X2
Drive type: Right Hand Drive
Driver cabin: Day and night cab
Engine power: Minimum Peak power 130 kW
Engine torque: Minimum Peak torque 675 Nm
Fuel: Diesel
Permissible total weight 13500 KGS
Permissible axle load , axle 1 4700 KGS
Permissible axle load , axle 2 9300 KGS
Gearshift: Manual transmission
Steering: Power steering
Exhaust brake, with constantly-open throttle valve
Engine, start/stop system
refitting: Fuel pre-filter, water separator
Front springs, parabolic
Rear spring, parabolic
Stabilizer front axle
Stabilizer, rear axle, under frame
Spare wheel carrier, under body; full size spare tyre

Main tank, 200 liters, Tank-cap lock
Dual-circuit full air brakes
Load sensing brake system
Automatic brake adjusting
Anti-lock braking system (ABS)
Compressed-air drier (single-chamber system)
Brake connection, 2-line, behind cab
Hydraulic cab tilting mechanism
Cab rear wall without window
Roof hatch/vent, roof
Cab steps, movable
Side Mirrors, electrically adjustable
Wide-angle exterior mirror on front passenger side
Ramp/ kerb observation mirror on co-driver's side
Electrically adjustable rear view mirror,
Wide angle mirror on driver's side, heated
Sun visor, exterior, transparent
Additional keys or remote-control transmitter

Driver's standard suspension seat,
Co-driver's seat, static,
Steering column bracket adjustable
multi-function steering wheel
Inst. cluster, graphics-capable display, eco-meter
Speedometer, km, Outside temperature gauge
Reversing warning device
Driver Information System
1 or 2 DIN radio, 2 speakers with AUX, CD, USB, Antenna + kit
Air conditioning system

Stowage facility above windscreen, 2 compartments

Trailer socket, 15-pin

Headlamp range adjuster

Headlamp unit, H7, with clear-lens look

Protective grilles, headlamps

6-part tail light cluster with reflector

Side marker lights

First aid kit, Fire extinguisher, Hazard warning triangle, Jack

Labels/publications, English

Cargo Body

Closed body, rigid and water proof construction

Plywood body : 20 mm

Floor : 24 mm carply floor with anti-slip, metallic floor beneath the carply floor for additional strength

Length inside : 5.700 mm

Width outside : 2.500 mm

Height inside : ca 2.300 mm

Inside : 2 units of LED-lights

2 rear doors

Hydraulic Tail Liftgate

Capacity 1.500 kg, 24 V

Preferred Makes: Mercedes, Isuzu or Mitsubishi which have spare parts and service centers throughout Kenya